



It's Wertheim, it's safe.



Vault Rooms

Vault Doors | Safe Deposit Boxes | Software

It's Wertheim,
it's safe.



© Wertheim – 2025, Vers. 1.0

Current information provided without guarantee and excludes liability. Wertheim reserves the right to change the content and design of this brochure due to typesetting, formatting, as well as printing errors. Any colour deviations are due to printing.

Contents

04 **About Wertheim**

08 **Security Classes & Insurance Rates**

09 **Modular Vault Rooms**

- Product Information
- Model Overview

15 **Vault Doors**

- Model Overview
- Versions and Locks

21 **Safe Deposit Boxes**

- Versions and Locking Equipment
- Safe Deposit Safes

27 **Software & Access Solutions**

Welcome
to Wertheim

Do you have questions, need expert advice or help with your Wertheim product?

We are happy to help you!

 +43 2236 320 350

 office@wertheim.at




Franz Freiherr von Wertheim (1814-1883)

past

Place your Trust in **170 Years of Experience**

As an innovative Austrian company, Wertheim can look back on a long tradition in security technology. Founded in 1852 by Franz Wertheim to manufacture „fireproof safes“, our security products still stand for the highest quality today. Wertheim has continuously developed and grown into a versatile group of companies covering a broad spectrum of business areas. In addition to manufacturing safes, vault rooms and bank products, we are a renowned contract manufacturer of high-quality components for globally recognised customers in various industries. Furthermore, we also manufacture customized wooden solutions for contract furnishings in our in-house joinery and also develop and produce security doors.




1883 | Vault Room with Safe Deposit Boxes



and present

Our Values, **Our Mission**

Trust, reliability and partnership - these are the core foundations of our global customer relationships. With our range of innovative and highly secure storage units, we offer you specialised solutions capable of fulfilling the highest demands. From one-off production to mass production: Wertheim is your flexible partner for all secure storage projects. We not only guarantee you comprehensive protection, but also a lasting feeling of security, trust and confidence.



Independently certified & **Tested to the Limit**

All Wertheim safes and secure storage solutions are certified security products developed in-house with the highest burglary resistance. They are among the highest quality products in the industry and are tested and certified in accordance with the European standard EN1143-1 by numerous independent testing institutes.

Only certified vault rooms and vault doors offer optimum protection and are insurable. This is how we guarantee that our products meet the highest security standards and offer you maximum protection.



9001:2015

All Wertheim Companies are ISO 9001:2015 certified

This includes the full responsibility of the companies with regard to the fulfillment of requirements for products and services. From development and production through to customer service, the standard-compliant system ensures consistent product quality.



VdS – VdS Schadenverhütung GmbH



Wertheim secure storage units have been tested against mechanical and thermal burglary tools in the independent test institute of VdS Schadenverhütung GmbH in Cologne. All Wertheim products have passed the rigorous test requirements of the CEN standard EN1143-1 and have been certified accordingly in their respective defined resistance values. That means that the secure storage units can also be classified and used in other European countries.

www.vds.de/en

ECB-S – European Certification Board · Security System



ECB-S is a globally recognized certification body for security products. The ECB-S label confirms the compliance of Wertheim products with European standards. The basis for ECB-S certification is a type test in accordance with the European standard EN1143-1 for products for protection against burglary.

www.ecb-s.com

VSÖ – Verband der Sicherheitsunternehmen Österreichs



The VSÖ is an independent association of companies and institutions that deal exclusively with security in all conceivable forms. Wertheim products are recognized by the VSÖ. This means that all valuables in a Wertheim secure storage unit in Austria can be insured in accordance with VSÖ guidelines.

www.vsoe.at

Fire protection EN1634-1 EI₂120 | E180 for Vault Doors



In addition to burglary protection, Wertheim offers vault doors from resistance grade III with an option of tested fire protection.

www.ibs-austria.at/en

Security Classes		RU-Resistance Units	Insurance Rates Commercial			
VdS ECB-S	VSÖ		without IAS up to		with IAS up to	
Grade I	Class EN 1	50	EUR	20.000	EUR	40.000
Grade II	Class EN 2	80	EUR	50.000	EUR	100.000
Grade III	Class EN 3	120	EUR	100.000	EUR	200.000
Grade IV	Class EN 4	180	EUR	150.000	EUR	300.000
Grade V	(EX) Class EN 5	270	EUR	250.000	EUR	500.000
Grade VI	(EX) Class EN 6	400	EUR	375.000	EUR	750.000
Grade VII	(EX) Class EN 7	600	EUR	500.000	EUR	1.000.000
Grade VIII	(EX) Class EN 8	825	EUR	1.000.000	EUR	1.500.000
Grade VIIIKB	(EX) Class EN 9	825	EUR	1.000.000	EUR	3.000.000
Grade IX	(EX) Class EN 9	1050	EUR	1.000.000	EUR	3.000.000
Grade IXKB	(EX) Class EN 10	1050	EUR	1.000.000	EUR	4.000.000
Grade X	(EX) Class EN 10	1350	EUR	1.000.000	EUR	4.000.000
Grade XKB	(EX) Class EN 11	1350	EUR	1.000.000	EUR	5.000.000
Grade XI	(EX) Class EN 11	2000	EUR	1.000.000	EUR	5.000.000
Grade XIKB	(EX) Class EN 12	2000	EUR	1.000.000	EUR	7.500.000
Grade XII	(EX) Class EN 12	3000	EUR	1.000.000	EUR	7.500.000
Grade XIIKB	(EX) Class EN 13	3000	EUR	1.000.000	EUR	10.000.000
Grade XIIIKB	(EX) Class EN 14	4500	EUR	1.000.000	EUR	> 10.000.000

RU: Resistance Units

According to EN 1143-1, the resistance value against burglary of vault doors, vault walls and system-related openings is characterized by resistance units (RU = Resistance Units), which are determined in an objective and reproducible type test with the optimum tool combination of mechanically and/or thermally acting burglary tools.

IAS: Intruder alarm system

KB/CD: Additional core drill protection

EX: Additional protection against attacks with explosives

The non-binding recommended sums insured listed applies to Austria and Germany.

■ **Modular Vault Rooms**
Grade I to XIII KB



The Advantages at a Glance



Decades of Experience

For more than 170 years, Wertheim has been a supplier to financial institutions, a wide range of commercial enterprises as well as public authorities, pharmaceutical companies and private individuals. We do not limit our business to specific sectors or geographical areas - Wertheim is an internationally established brand that you can rely on.



All Resistance Grades

Depending on your protection requirements, you can choose from all the resistance grades available on the market for your vault room. (Grade I - XIIIKB)



More usable Capacity

A thinner wall thickness in the vault modules increases the usable area. Example: 500 mm wall thickness in solid construction is reduced to 125 mm wall thickness in the modular system (with the same resistance grade).



Everything from a Single Source

Vault rooms and doors, safe deposit boxes & software - everything from a single source for smooth implementation of your project.



Certified Quality

We focus on the highest quality for our products. For this reason, we carry out continuous quality certifications by renowned European certification institutes.



Lightweight and extremely Durable

Thanks to our special reinforcements and extremely resistant fillings, our vaults offer maximum protection and can be flexibly adapted to your individual security requirements.



Short Construction Times

By eliminating the drying time of the concrete, the use of modular vaults with prefabricated elements results in a shorter construction time, allowing you to put your vault into operation quicker.



In-House Production

We are proud of our in-house production and continue to rely on the best products in the security industry. Special solutions are also usually easy to create, as the decision-making processes are particularly short.

Model Overview

Vault Rooms

Our modular vaults are available in 13 resistance grades (I to XIIIKB) and in various designs. Rooms marked KB are additionally equipped with core drill protection. All models from grade V also offer additional protection against attacks with explosives (EX).

KB/CD: Additional core drill protection

EX: Additional protection against attacks with explosives

Model		Resistance Grade		Security Class	Wall Thickness	Weight
		VdS ECB-S		VSÖ	(mm)	(approx. kg/m ²)
AET070		Grade I		Class EN 1	70	200
BET027		Grade II		Class EN 2	27	90
BET070		Grade II		Class EN 2	70	200
CET070		Grade III		Class EN 3	70	210
DET070		Grade IV		Class EN 4	70	210
EET070	(EX)	Grade V	(EX)	Class EN 5	70	220
FET070	(EX)	Grade VI	(EX)	Class EN 6	70	225
GET100	(EX)	Grade VII	(EX)	Class EN 7	100	315
HET100	(EX)	Grade VIII	(EX)	Class EN 8	100	320
HET125	(EX)	Grade VIII	(EX)	Class EN 8	125	380
HET125KB	(EX)	Grade VIIIKB	(EX)	Class EN 9	125	390
IET125	(EX)	Grade IX	(EX)	Class EN 9	125	390
IET165	(EX)	Grade IX	(EX)	Class EN 9	165	500
IET125KB	(EX)	Grade IXKB	(EX)	Class EN 10	125	405
IET165KB	(EX)	Grade IXKB	(EX)	Class EN 10	165	510
JET150	(EX)	Grade X	(EX)	Class EN 10	150	470
JET195	(EX)	Grade X	(EX)	Class EN 10	195	590
JET150KB	(EX)	Grade XKB	(EX)	Class EN 11	150	480
JET195KB	(EX)	Grade XKB	(EX)	Class EN 11	195	600
KET200	(EX)	Grade XI	(EX)	Class EN 11	200	630
KET250	(EX)	Grade XI	(EX)	Class EN 11	250	740
KET200KB	(EX)	Grade XIKB	(EX)	Class EN 12	200	640
KET250KB	(EX)	Grade XIKB	(EX)	Class EN 12	250	750
LET250	(EX)	Grade XII	(EX)	Class EN 12	250	770
LET250KB	(EX)	Grade XIIKB	(EX)	Class EN 13	250	780
LET325KB	(EX)	Grade XIIKB	(EX)	Class EN 13	325	970
MET415KB	(EX)	Grade XIIIKB	(EX)	Class EN 14	415	1215



10 Steps to provide your **Customized Vault Room**

① Clarification of Requirements

In order to offer your valuables the best possible protection, it is important to clarify your individual protection requirements with your insurance company in advance as a first step.

② Clarification of the Space

Relevant topics such as room size and structural measures for your vault are then discussed with our team of experts.

③ Door and Access

Once the idea of your vault room has been explained, the locking equipment for access through the vault door needs to be clarified.

④ Installation Options

The next step is to talk about the details of the installation. Are there any obstacles or static measures that need to be taken into account?

⑤ Cost Estimate

Once the first steps have been completed, a cost estimate for the entire project is drawn up.

⑥ Detailed Planning

The initial concept is followed by the detailed planning of the vault room. Every detail is taken into account by our planning team in order to meet your requirements (ventilation, etc).

⑦ Production and Delivery Date

The next step is to schedule the production process. Aspects such as delivery time and date are clarified.

⑧ Room Certificate

Once the vault has been installed, a room certificate is issued, which serves as a template for the award of the label. This means that your vault room is then officially certified.

⑨ Commissioning

In the penultimate step, your individual Wertheim vault room can now be officially put into operation.

⑩ Insurance Documentation

Last but not least, documentation must be submitted to the insurance company so that your valuables are kept safe.

Notes for Delivery & Installation

Precise compliance with all requirements during the delivery and installation of a Wertheim vault room is essential to provide maximum security and functionality. This is how we ensure quality, reliability and the trust of our customers.

Site Preparation

A site inspection takes place before the installation of the vault begins. This will determine how the elements and the vault door are to be transported and installed. In the case of new buildings and sites, loading and installation can be carried out using a mobile crane, otherwise depending on the application (if possible through a ceiling opening). The required load hooks are determined on site. It must be ensured that the final level is defined by a horizontal plan.



ATTENTION: The transportation route must be able to withstand the load of the elements, the vault door and the tools used transporting them. Installation sites and transportation routes must be statically checked by the client.

Installation

Wertheim vaults are manufactured using a self-supporting construction method. The floor, wall and ceiling elements are laid and assembled on site. The vault door is moved together with the elements. Assembly is carried out using the „dry construction method“ and therefore enables extremely short assembly times (approx. 1 to 2 weeks). It is installed either in conjunction with an already existing building structure or free-standing as a room-in-room system.



ATTENTION: Electronic locks are provided in a separate package, to be installed. Welding on the vault door should be avoided after installing electronic locks.




More Equipment

① **Vault Doors**
More on page 15

② **Safe Deposit Boxes**
More on page 21

③ **Software & Access Solutions**
More on page 27



■ **Vault Doors**
Grade I to XIIIKB



Vault Doors Models

Vault doors are robust, armored barriers that secure access to your vault room with exceptional strength. Certified to match the vault room's resistance grade, our vault doors provide maximum protection tailored to your security needs. We offer a wide range of options, including integrated emergency exits and day doors, ensuring a solution that aligns perfectly with your specific requirements.

In addition to burglary protection, Wertheim offers vault doors from resistance grade III with an option of tested fire protection (EN1634-1 EI₂120 | E180). The retrofitting of fire protection to already installed vault doors is also possible.

IED: Integrated emergency door

KB/CD: Additional core drill protection

EX: Additional protection against attacks with explosives

In addition to the specified door thickness, 60mm must be allowed for fittings.

Vault doors are also available in special dimensions by request.

Model	Resistance Grade		Safety Class		Passage	Door Thickness	Weight
	VdS ECB-S		VSÖ		(h x w, mm)	(mm)	(approx. kg)
AWT085	Grade I		Class EN 1		1960 x 910	160	850
AWT085ED	Grade I		Class EN 1		1068 x 514	160	340
AWT085IED	Grade I		Class EN 1		1960 x 910	160	900
				Emergency Door	688 x 491		
BWT085	Grade II		Class EN 2		1960 x 910	160	850
BWT085ED	Grade II		Class EN 2		1068 x 514	160	340
BWT085IED	Grade II		Class EN 2		1960 x 910	160	900
				Emergency Door	688 x 491		
CWT085	Grade III		Class EN 3		1960 x 910	160	880
CWT085ED	Grade III		Class EN 3		1068 x 514	160	360
CWT085IED	Grade III		Class EN 3		1960 x 910	160	930
				Emergency Door	688 x 491		
DWT085	Grade IV		Class EN 4		1960 x 910	160	880
DWT085ED	Grade IV		Class EN 4		1068 x 514	160	360
DWT085IED	Grade IV		Class EN 4		1960 x 910	160	930
				Emergency Door	688 x 491		
EWT085	(EX)	Grade V	(EX)	Class EN 5	1960 x 910	160	880
EWT085ED	(EX)	Grade V	(EX)	Class EN 5	1068 x 514	160	360
EWT085IED	(EX)	Grade V	(EX)	Class EN 5	1960 x 910	160	930
				Emergency Door	688 x 491		
FWT085	(EX)	Grade VI	(EX)	Class EN 6	1960 x 910	160	900
FWT085ED	(EX)	Grade VI	(EX)	Class EN 6	1068 x 514	160	390
GWT150	(EX)	Grade VII	(EX)	Class EN 7	1960 x 910	225	1300
GWT150ED	(EX)	Grade VII	(EX)	Class EN 7	1068 x 514	225	580
GWT150IED	(EX)	Grade VII	(EX)	Class EN 7	1960 x 1000	225	1450
				Emergency Door	1114 x 484		
HWT150	(EX)	Grade VIII	(EX)	Class EN 8	1960 x 910	225	1400
HWT150ED	(EX)	Grade VIII	(EX)	Class EN 8	1068 x 514	225	600
HWT150IED	(EX)	Grade VIII	(EX)	Class EN 8	1960 x 1000	225	1480
				Emergency Door	1114 x 484		
HWT150KB	(EX)	Grade VIIIKB	(EX)	Class EN 9	1960 x 910	225	1410
HWT150EDKB	(EX)	Grade VIIIKB	(EX)	Class EN 9	1068 x 514	225	605
HWT150IEDKB	(EX)	Grade VIIIKB	(EX)	Class EN 9	1960 x 1000	225	1520
				Emergency Door	1114 x 484		
IWT150	(EX)	Grade IX	(EX)	Class EN 9	1960 x 910	225	1410
IWT150KB	(EX)	Grade IXKB	(EX)	Class EN 10	1960 x 910	225	1420
JWT220KB	(EX)	Grade XKB	(EX)	Class EN 11	1960 x 910	285	1970
KWT300KB	(EX)	Grade XIKB	(EX)	Class EN 12	1960 x 910	365	2715
LWT300KB	(EX)	Grade XIIKB	(EX)	Class EN 13	1960 x 910	365	2805
MWT450KB	(EX)	Grade XIIIKB	(EX)	Class EN 14	1960 x 921	515	4300

Types of Vault Doors



Image EWT085

Main

The main version of the Wertheim vault door is available across all resistance grades (I – XIIIKB).



Image EWT085ED

Emergency Door

Our emergency doors are offered in resistance grades I – VIIIKB.



Image EWT085IED

Main with Integrated Emergency Door

The main versions with an integrated emergency door are available in resistance grades I – V as well as VII – VIIIKB.



Security & Features of Vault Doors

All Wertheim vault doors are delivered in standard with provisions for connection to an alarm system and a primed finish. Additional custom features are available upon request.

Models	AWT-DWT	EWT-MWTKB
Prepared for alarm system connection	✓	✓
Primed surface	✓	✓
Additional protection against explosive attacks (EX)	—	✓
Switch set for door monitoring	✓	✓
Door bumper	✓	✓
Stainless steel entrance step	✓	✓
Factory-applied final coating (RAL)	✓	✓
Internal panic emergency lock	✓	✓
Dual-side operability (electronic lock)	✓	✓
Custom sizes available	✓	✓

✓ Standard ✓ Optional

In addition to burglary protection, Wertheim offers vault doors from resistance grade III with an option of tested fire protection (EN1634-1 EI₂120 | E180).

⚠ ATTENTION: The transportation route must be able to withstand the weight of the vault door. Installation locations and transportation routes must be statically checked by the client.

🔔 NOTE: Please note that for the correct certification, the vault room and door must be selected within the same resistance grade to balance each offer.

Practical Day Doors

Day doors for vaults serve as additional security when the vault door is open and prevent unauthorized access to the vault room.

Wertheim day doors are available in different versions. Painted in RAL 7035 as a standard gate door or with handle protection. A glass door version is also available.

Equipment	Gate Door	Gate Door with Handle Protection	Glass Door
1 double cylinder lock with 3 keys	✓	✓	✓
Electric door opener	✓	✓	✓
Hydraulic door closer	✓	✓	✓
Fittings - outside knob / inside lever handle	-	✓	✓
Fittings - outside knob / inside knob	-	✓	✓
RAL finish of your choice	✓	✓	-

Standard
 Optional



Image Gate door with integrated emergency door



NOTE: Wertheim gate doors are available as main, with integrated emergency door and with handle protection.

Standard Locks for Vault Doors



Key lock
S&G adjustable



Electronic lock
dormakaba
Combi B 90



Electronic lock
dormakaba
Paxos (keypad)



Electronic lock
dormakaba
Paxos
(flat dialing knob)



**Mechanical
number lock**
La Gard

		AWT	BWT	CWT	DWT	EWT	FWT	GWT	HWT	IWT	JWT	KWT	LWT	MWT
Minimum required number & class of locks (for example AWT: 1x lock from class A)	VdS/ EN 1300	1xA	1xA	1xB	2xB	2xB	2xC	2xC	2xC	2xC	2xC	3xC/2xD	3xC/2xD	2xD
Key locks														
Key lock S&G adjustable 6880 (1 guide tube, 2 key bits)	2/B	☑	☑	☑	☑	☑								
Key lock S&G convertible 6990 (1 guide tube, 2 key bits)	3/C	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	
Electronic locks														
Electronic lock dormakaba Combi B 90, with emergency key (190 mm, brass)	2/B	☑	☑	☑	☑	☑								
Electronic lock dormakaba Paxos advance Set 1 (keypad)	2/B	☑	☑	☑	☑	☑								
Electronic lock dormakaba Paxos advance Set 3 (flat dialing knob)	3/C	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	
Electronic lock dormakaba Paxos advance Set 5 (Additional lock for set 1/3)*	2/B 3/C	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	
Electronic lock dormakaba Paxos advance Set 4 (flat dialing knob)	4/D											☑	☑	☑
Mechanical number locks														
Number lock La Gard 3390 VZ (3 wheels)	2/B	☑	☑	☑	☑	☑								
Number lock La Gard 1947 (4 wheels)	3/C	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	☑	

☑ Standard ☑ Optional


*can only be used in combination with set 1/set 3

MORE LOCKS

Other lock models and various lock options can also be provided for customized solutions on request.

■ Safe Deposit Boxes






Modular System Safe Deposit Boxes

Wertheim deposit boxes are manufactured in columns and assembled into an unified installation on site. The columns are suitable for both wall-mounted and free-standing groupings. The systems can be optimally designed for every application thanks to different locker heights. The fully assembled system presents itself as a whole uniformed installation.

 **NOTE:** Different locker columns or individual locker partitions are freely selectable.



LSF0028 28 boxes
 LSF0024 24 boxes
 LSF0020 20 boxes
 LSF0018 18 boxes
 LSF0016 16 boxes
 LSF0012 12 boxes
 LSF0008 8 boxes
 LSF0004 4 boxes
 LSF0400 4 double boxes



Image Cassette
 also for the storage of DIN folders and envelopes (DIN C4)



NOTE: Box size organization can be individually divided in 50 mm increments

Box size Standard column	1	2	3	4	5	6	9	10
Volume (l)	5,3	10,8	16,2	21,7	27,2	32,7	49,1	54,6
Internal dimensions (h x 265 x 413 mm)	48,5	98,5	148,5	198,5	248,5	298,5	448,5	498,5
Cassette dimensions (h x 250 x 355 mm)*	43	93	143	193	243	293	shelf**	shelf**

Box size Double column	9	10
Volume (l)	106,5	118,4
Internal dimensions (h x 575 x 413 mm)	448,5	498,5
Equipment	shelf**	shelf**

*Add 30 mm to the specified cassette depth for the handle

**Adjustable shelf

Locking Options

Safe Deposit Boxes

We offer mechanical and electronic locks for all safe deposit systems, as well as self-service systems. With our Safe Service software, we facilitate the management and rental of electronic safe deposit boxes.

- **Dual Locking:** Each box lock is equipped with a dual lock. A standardized bank lock (control lock) for the entire system and a unique customer lock for each safe deposit box door.
- **Lock Options:** Magnetic lock or cylinder lock (mechanical/electronic)
Other lock variants are available on request
- **Keys:** 2 bank keys for each system and 2 keys for the unique lock of each individual compartment

Execution Types

Safe Deposit Boxes

Mechanical

Mechanical locker system in which the box is usually opened on site by the customer together with an employee.

Electronic

Electronically controlled safe deposit box system in which the bank lock of the safe deposit box is released after identification by an employee or at the self-service access terminal.

Magnetic lock

mechanical (SSM 140)



Built-in half cylinder lock

mechanical (SSM 120) | electronic (SSE 120)



Design & Surfaces

The surfaces are polished stainless steel in standard. The box numbers are attached with inlaid number plates. We offer boxes with powder coating as an option.

On request, it is possible to have lighter boxes made of compact panels. The use of compact doors is only recommended for electronically controlled safe deposit boxes.



Image Standard version in stainless steel



Image Custom version in lightweight construction (compact doors)



Image Custom version with powder coating

Safe Deposit Safes

Safes with built-in safe deposit boxes are manufactured in various resistance grades. The lockers are constructed in columns. On request, the organization of the box sizes within the block height can be selected in 50 mm increments. Unrestricted access to the lockers is possible with a door opening angle from 90°.

All Wertheim safes in VdS grade IV to VKB (type series DWS, DWSKB, EWS, EWSKB) from model size 1600 can accommodate deposit boxes. The model choice depends on the required insurance class. Safe deposit safes in VdS grade I, II or III are available on request.

The models with deposit safe installation are additionally marked with S in the model designation.



NOTE: You can find all information on our safe models in the Wertheim safe collection or online at www.wertheim.at



Example Safe Deposit Safe DWS1901S



EN1143-1
Burglary protection



Grade IV



EN15659
Fire protection



Grade IV + LFS30
LFS60 (optional)



Class EN 4

Door hinge

DIN right – Standard, optional: DIN left

Door opening angle

180°

Body

Double-walled, reinforced design, filled with reinforced, highly resistant filler material

Door structure

Triple-walled, reinforced design, filled with reinforced, highly resistant filler, internal transom space with partially attached drill protection, door rebate fitted with several fire and smoke protection seals

Locking

Driven on 3 sides by solid steel bolts via a boltwork with a base plate, protected by a glass plate with additional emergency bolts, steel bolts welded on the hinge side to grip behind

IAS Connection

VdS-certified pre-fitting for installation and connection to an intruder alarm system (IAS)

Colour

Grey: RAL 7037
optional: paint finish according to RAL

Locks

Safes from grade IV must be equipped with at least 2 locks, lock combinations (locks from VdS class 2) freely selectable

Interior

Safe deposit box sizes can be organized in 50 mm increments as required. Special solutions on request

You can find more information about our safes in our current safe collection. If you have any questions, please contact our team!

■ **Software &**
Access Solutions



The Number One in and from Austria

The Wertheim software Safe Service 6.0 is a secure solution for vault rooms and their safe deposit box systems, overtaking entire control over administration and management of the safe deposit box system.

Wertheim uses biometric readers (fingerprint, facial recognition) for the self-service operation of safe deposit box systems, which guarantees maximum security for access applications.

The majority of all Austrian banks rely on Wertheim products. Safe Service is so secure and flexible that it can be adapted to a wide variety of branch situations. Every workstation in the bank's network is able to access the data of the connected safe deposit boxes.

This facilitates both rentals and searches enabling staff to determine immediately whether and where a free box is available. The modern browser-based user interface does not even require a program installation on the respective PC.



Modern and intuitive Interface

Safe Service 6.0 features a user-friendly and intuitive interface that minimizes the training required for your employees. Uncomplicated operation makes it possible to quickly gain an overview of the functions.



Simple Integration and fast Implementation

Safe Service 6.0 can be easily integrated into existing third-party systems and responds quickly to customer requests and feedback. This flexibility enables rapid adaptation to your specific needs and requirements.



Scalable at any Time

Regardless of whether one or more branches are to be managed, subsequent scaling is possible at any time. Up to 65,000 safe deposit boxes can be electronically monitored and controlled per system.



Maximum Security

Safe Service is controlled by a central database for all branches. To protect data from misuse, it is encrypted using SSL and HTTPS.




Maximum Stability and Trustworthiness

With an impressive stability of 99.9% over a period of more than 9 years, Safe Service 6.0 offers some of the highest up-time on the market. You can count on a reliable application that is always ready for use.



Reliable Customer Support

Our team of experts is always available to provide you with fast and competent assistance - for maximum safety and smooth processes.



Additional Features

Contracting

- ✔ Customer data management (with photo & signature)
- ✔ Contract management
- ✔ Complementary insurance
- ✔ Specialized know-how

Documents

- ✔ Freely configurable as PDF
 - Rental contracts, authorizations
 - Invoices, credit notes
 - Dunning, protocols
 - SEPA mandate reference, etc.


Accounting

- ✔ Several configurable conditions
 - E.g. customer, employee, VIP
 - For years or indefinitely
 - Initial & permanent discount, key deposit
 - Optional integration of cloud-based payment processors
- ✔ Automatic SEPA debiting Configurable
- ✔ Configurable dunning cycles
- ✔ Payment slip printing

Statistics

- ✔ Contract dynamics
- ✔ Access (counter and self-service)
- ✔ Finance


CyberRisk Rating by KSV1870



Absolute Security of your Data

CyberRisk Rating: **183 A**

WebRisk Indicator: **135 A**



Available in Three Versions

Depending on individual requirements, we offer three different versions of Safe Service 6.0 to ensure a tailored solution. This allows you to choose the option that suits your needs best.

Standard	Professional	Premium
<input checked="" type="checkbox"/> Electronic control & monitoring	<input checked="" type="checkbox"/> Electronic control & monitoring	<input checked="" type="checkbox"/> Electronic control & monitoring
<input checked="" type="checkbox"/> Protocols	<input checked="" type="checkbox"/> Protocols	<input checked="" type="checkbox"/> Protocols
<input type="checkbox"/> Management of customer data	<input checked="" type="checkbox"/> Management of customer data	<input checked="" type="checkbox"/> Management of customer data
<input type="checkbox"/> Contracting	<input checked="" type="checkbox"/> Contracting	<input checked="" type="checkbox"/> Contracting
<input type="checkbox"/> Self-service access	<input checked="" type="checkbox"/> Self-service access	<input checked="" type="checkbox"/> Self-service access
<input type="checkbox"/> Document Management	<input checked="" type="checkbox"/> Document Management	<input checked="" type="checkbox"/> Document Management
<input type="checkbox"/> Clearing (payment slip, SEPA, external payment processors)	<input type="checkbox"/> Clearing (payment slip, SEPA, external payment processors)	<input checked="" type="checkbox"/> Clearing (payment slip, SEPA, external payment processors)
<input type="checkbox"/> Dunning	<input type="checkbox"/> Dunning	<input checked="" type="checkbox"/> Dunning



Get Expert Guidance in our Showroom in Guntramsdorf

We present a comprehensive selection of security solutions in our showroom in Guntramsdorf. Immerse yourself and experience the fascinating world of Wertheim up close, where maximum protection meets innovative technology and attractive design.



Wertheim Vertriebs GmbH · Headquarters
Danfoss-Straße 6 · 2353 Guntramsdorf · Austria
Tel +43 2236 320 350
office@wertheim.at

www.wertheim.at

